

PRODUCT SPECIFICATION

EN#: 4711552154702

MT-7059

LCD Multifunction Cable Tester



Transmitter/Toner/Master:

- Tone frequency (Hz): 225000
- Tone mode: One/Two-note tone
- Compatible connectors: RJ45 (8 pin), RJ11 (6 pin), USB, BNC, Alligator clips
- Cable type: Twisted pair cables (UTP, STP, Cat. 5e, Cat. 6, Cat. 7), Cat. 3 telephone cables, USB cables, Coaxial cables (RG6, RG58, RG59, RG62 and others for CATV/CCTV), Audio/Video signal, bare wire (such as speaker wire and security network wire), Copper wires (solid wires and stranded wires)
- Continuity test (Ω): <1000
- Shielded indication: Yes
- Buzzer indication: Yes
- Size (mm) length: 185
- Size (mm) width: 78
- Size (mm) height: 30
- Low battery (V): 6.5
- Battery life (h): 10
- Power source (V): DC 9.0V(NEDA 1604/ 6F22 DC9V \times 1pcs, Included)

- Material character of housing: Single color
- Material of housing: ABS
- Color of housing: Blue
- Net weight (g) w/o batteries & accessories: 175

Receiver/Probe/Remote:

- Signal status adjuster: Yes
- Signal status indication: 1 LED indicator
- Buzzer indication: Yes
- earphones jack: Yes
- Battery life (h): 20
- Size (mm) length: 218
- Size (mm) width: 46
- Size (mm) height: 27
- Net weight (g) w/o batteries & accessories: 93
- Material character of housing: Single color
- Material of housing: ABS
- Color of housing: Blue
- Power source (V): DC 9.0V(NEDA 1604/ 6F22 DC9V ×1pcs, Included)

Standard accessories:

- Batteries: NEDA 1604/ 6F22 DC9V ×2pcs
- Manual: Chinese and English
- Carrying case: Carrying case ×1 pcs
- Material of carrying case: PVC, Polyester
- Color of carrying case: Black
- Carrying case size (mm) L×W×H: 220*130*70

Product Weight (w/o package):

Weight(g)	Measurement		
0.48	L(mm)	W(mm)	H(mm)

Individual Packing

- Packing: Color Box

Master Packing:

	Pieces	N.W. (Kg)	G.W. (Kg)	Measurement			CUFT
				L(cm)	W(cm)	H(cm)	
Individual Packing	1	-	0.61	26.7	13.3	8.1	-

Inner Box	1	0	0	0	0	0	0
CTN	20	12.2	13.3	48.8	43.5	44.5	3.34